



EE CORES



EE CORES (Dimensions)

Type	Dimensions						(unit:mm)
	A	2B	C	D	E	2F	w(g/set)
EE05/05/2	5.25±0.15	5.30±0.15	1.95±0.10	1.95±0.10	4.00±0.20	4.00±0.15	0.2
EE08/08/3.9	8.30±0.20	8.00±0.20	10.20+0.10 -0.15	6.00+0.30 -0.00	2.00+0.00 -0.30	6.00±0.20	0.92
EE8.6/8.6/3.8	8.60±0.20	5.60±0.15	3.80±0.20	6.50±0.20	2.00+0.00 -0.30	6.40±0.20	0.82
EE10/10/2.8	10.30±0.20	10.20±0.20	2.80±0.20	7.70min	2.30±0.20	7.90±0.20	0.81
EE10/11/4.9	10.20+0.30/ -0.10	11.00+0.30/ -0.20	4.90+0.00/ -0.30	7.70min	2.40±0.20	8.60+0.30/ -0.20	1.5
EE10/11/4.9	10.4+0.35 -0.25	16.0+0.30-0.0	4.90+0.00 -0.30	7.70min	2.40±0.20	9.0±0.20	1.6
EE10/12/5	10.4+0.35 -0.25	16.0+0.30 -0.0	5.0+0.25 -0.35	7.70min	2.70±0.20	9.0±0.20	1.8
EE13/08/6.5	12.70+0.00 -0.35	7.84+0.10-0.20	6.50+0.00 -0.35	10.30min	3.18±0.10	5.75±0.20	1.6
EE13/12/5.9	13.10±0.20	12.0±0.30	5.90±0.20	10.20min	2.80+0.00 -0.40	9.20+0.30 -0.10	2.4
EE13/12/6.4	13.00±0.20	12.30±0.30	6.40+0.20-0.10	10.10min	3.80+0.05 -0.25	8.600±0.15	3.1
EE13/12/6.2	13.10±0.20	12.00±0.30	6.20±0.20	10.20min	2.80+0.00 -0.40	9.20+0.30 -0.10	2.5

Type	Dimensions						(unit:mm)
	A	2B	C	D	E	2F	w(g/set)
EE13/13/3.7	12.60+0.50 -0.40	13.00+0.00 -0.40	3.70+0.00 -0.30	8.90+0.60 -0.00	3.70+0.60 -0.00	9.00+0.60 -0.00	1.8
EE13/13/10	13.00±0.40	13.00±0.40	9.8±0.20	9min	3.6±0.20	9.2±0.20	5.6
EE16/10/10	16.00±0.30	8.80±0.20	10.00+0.20 -0.40	11.7min	4.15±0.15	4.80±0.20	5.0
EE16/14/4.8	16.00±0.30	14.40±0.30	4.80±0.20	12.00±0.30	4.00±0.20	10.40±0.30	3.2
EE16/14/6.8	16.00±0.30	14.30±0.60	6.80±0.20	12.50min	3.18±0.18	11.00±0.20	4.2
EE16/14/6.9	16.00±0.30	14.40±0.30	6.90±0.20	12.00±0.30	3.80±0.20	10.40±0.30	4.6
EE16/14/10	16.00+0.20-0.40	14.40±0.30	10.00±0.30	12.00±0.30	4.00±0.20	11.00±0.30	7.0

Type	Dimensions						(Unit:mm)
	A	2B	C	D	E	2F	w(g/set)
EE16/16/4.9	16.10±0.4	16.10±0.30	4.5±0.20	11.7±0.30	4.55±0.15	11.80±0.30	3.7
EE16/25/4.9	16.00±0.40	24.40±0.40	4.90±0.20	12.00±0.30	4.00±0.20	20.40±0.30	5.3
EE17/16/4.5	16.60±0.40	16.40±0.40	4.5±0.20	12.5min	4.55±0.20	12.2±0.30	3.9
EE17/25/4.9	17.20±0.40	25.00±0.5	4.9±0.20	13.20±0.40	4.00±0.20	21.00±0.50	5.5
EE19/16/4.9	19.10±0.30	15.90±0.30	4.85±0.25	14.50±0.30	4.85± 0.25	11.30± 0.30	4.5
EE19/16/4.9	19.00±0.30	16.20±0.30	4.85±0.25	14.20min	4.60±0.30	11.20±0.30	4.5
EE19/16/10	19.10±0.30.	15.90±0.30	10.0±0.25	14.5±0.30	4.85±0.25	11.30±0.30	9.7
EE19/16/7.8	19.10±0.30	15.90±0.30	7.80±0.20	14.5±0.30	4.85±0.25	12.30±0.30	7.2
EE20/17/4.8	20.30±0.40	16.80±0.40	4.80±0.20	15.70±0.40	4.80±0.20	12.40±0.40	4.7
EE20/18/7	20.5±0.30	19.80±0.40	6.8±0.20	16.0±0.30	4.8±0.20	13.0±0.30	7.0
EE20/20/5.7	20.00±0.40	19.90±0.40	5.70±0.20	14.50±0.40	5.70	14.40±0.40	7.5
EE20/20/4.7	20.00±0.40	20.80±0.40	4.70±0.20	14.50±0.40	5.70±0.20	15.30±0.40	7.7
EE20/27/5.1	20.00±0.40	27.30±0.50	5.10	14.60min	5.10	22.80±0.50	7.3
EE/21/28/6.4	20.50±0.40	27.80±0.40	6.35±0.15	14.35±0.25	6.35±0.15	21.40±0.40	12.0

Type	Dimensions						(Unit:mm)
	A	2B	C	D	E	2F	w(g/set)
EE22/19/5.7	22.00±0.40	18.40±0.40	5.70±0.30	16.00±0.40	5.75±0.25	10.80±0.40	8.0
EE22/20/5	22.10±0.40	19.80±0.30	5.0±0.25	17.30min	4.00±0.30	15.20±0.30	5.5
EE22/29/6	22±0.40	29.40+0.80-0.00	6.00+0.00-1.50	15.60min	6.00+0.00-0.50	21.4+0.80-0.00	11.0
EE22/30/5.8	22.00±0.4	30.00±0.50	5.8±0.20	16.00±0.40	5.8±0.20	22.00±0.40	12
EE23/29/6	23.00±0.40	29.4+0.80-0.50	6.00+0.00-0.50	16.6min	6.00+0.00-0.50	21.40+0.80-0.00	12
EE25/19/6.4	25.4±0.50	19.8±0.40	6.35±0.25	19.00±0.40	6.35±0.25	13.4±0.40	9.8
EE25/20/6.5	25.00±0.40	20.00±0.40	6.55±0.30	18.30min	6.55±0.30	13.60±0.30	10.0
EE25/20/6.4	25.4±0.50	19.80±0.40	6.35±0.25	18.70min	6.35±0.25	13.60±0.30	10.0
EE25/25/7.2	25.5±0.50	25.10±0.50	7.20±0.30	17.90±0.30	7.25±0.25	17.90±0.50	15.0
EE25/25/10.8	25.50±0.50	25.10±0.50	10.75±0.30	17.90±0.30	7.25± 0.25	17.90±0.50	22.0
EE25/25/12.7	25.5±0.50	25.10±0.50	12.70±0.30	17.90±0.30	7.25±0.25	17.90±0.50	26.0
EE25/32/6.4	25.4±0.50	31.80±0.60	6.35±0.25	19.00±0.40	6.35±0.30	25.40±0.60	15.0
EE25/32/7	25.30±0.50	32.00±0.40	7.00±0.25	19.10min	6.50±0.30	25.40±0.60	15
EE28/21/11	28.50±0.40	20.90±0.40	10.80±0.20	20.50±0.40	7.30±0.25	13.30±0.30	21.0

Core Set Parameters

Type	C1(mm)	Le(mm)	Ae(mm)	Ve(mm)	AL±25%(nH/N)				
					Lp4	Lp44	Lh5	Lh7	Lh10
EE05/05/2	5.0	12.6	2.63	33.14	270	280		500	1200
EE08/08/3.8	2.36	19.2	8.15	156.48	680	710	1170	1500	2240
EE8.6/8.6/3.8	2.54	20.6	8.1	166.86	900	940	1200		
EE10/10/2.8	3.83	25.0	6.54	163.25	410	430	750	930	1700
EE10/11/4.9	2.33	26.6	11.4	303.24	770	800	1400	1630	2500
EE10/12/5	2.07	27.2	13.2		820	850	1470	1700	2600
EE13/0.8/6.5	1.56	30.3	14.0	305.20	1200	1250	2000	2300	3650
EE13/12/5.9	1.89	21.8	16.0	484.80	1040	1090	1750	2000	3350
EE13/12/6.4	1.40	28.6	20.8	594.90	1400	1450	2350	2800	4500
EE13/12/6.2	1.80	30.3	16.8	509.04	1080	1130	1840	2100	
EE13/13/3.7	2.4	29.7	12.4	368.28	780	810	1350	1590	2604

Type	C1(mm)	Le(mm)	Ae(mm)	Ve(mm)	AL±25%(nH/N)				
					Lp4	Lp44	Lh5	Lh7	Lh10
EE05/05/2	5.0	12.6	2.63	33.14	270	280		500	1200
EE13/13/10	0.82	29.9	36.4	1089.85	2100	2200			
EE16/10/10	0.59	23.78	40.37	960.00	2800	2920			
EE16/14/4.8	1.92	35.5	18.5	656.75	1150	1200	2100	2700	4300
EE16/14/6.8	1.68	36.7	21.9	803.73	1300	1350			
EE16/14/6.9	1.29	35.2	27.3	960.96	1550	1600			
EE16/14/6.9	0.94	35.6	37.8	1347.62	2390	2500			

Type	C1(mm)	Le(mm)	Ae(mm)	Ve(mm)	AL±25%(nH/N)				
					Lp4	Lp44	Lh5	Lh7	Lh10
EE16/16/4.5	1.87	37.6	20.1	755.76	1100	1150	2200	3000	5050
EE16/25/4.9	2.80	55.2	19.7	1087.44	780	810	1600	2000	3300
EE17/16/4.5	2.07	39.0	18.8	734.8	1100	1150	2200	3000	5050
EE17/25/4.9	2.93	57.5	19.6	1127.0	780	810	1600	2000	3300
EE19/16/4.9	1.86	39.2	23.3	913.36	1250	1300	2250	3000	5100
EE19/16/4.9	1.68	39.2	23.3	913.36	1250	1300	2250	3000	5100
EE19/16/10	0.82	39.2	48.0	1881.3	2500	2600			
EE19/16/7.8	1.08	39.55	36.5	1443.58	2100	2200			
EE19/16/4.9	1.68	39.2	23.3	913.36	1250	1300	2300	3000	5100
EE19/27/5	2.44	61.0	25.0	1525	830	870	1820	2280	3500
EE20/17/4.8	1.95	42.8	22.0	941.60	1050	1100	2000	2400	3500
EE20/20/5.7	1.43	46.1	32.2	1484.42	1450	1500	2800	3350	5000
EE20/20/4.7	1.52	48.1	31.7	1524.77	1450	1500	2700	3300	4800
EE20/27/5.1	2.71	63.1	23.3	1470.23	790	820	1550	1900	2700
EE21/28/6.4	1.52	60.7	39.9	2421.93	1450	1500	2700	3300	4800
EE19/17/9/	0.84	39.5	47.1	1863.07	2500	2600			
EE20/18/7	1.39	44.5	31.9	1422.6	1450	1500			

Type	C1(mm)	Le(mm)	Ae(mm)	Ve(mm)	AL±25%(nH/N)				
					Lp4	Lp44	Lh5	Lh7	Lh10
EE22/19/5.7	1.16	42.0	36.3	1524.6	1950	2000	3650	4800	6500
EE22/20/5	2.35	50.8	21.6	1097.28	910	950	1800	2150	3000
EE22/29/6	1.79	63.9	35.7	2281.23	1250	1300	2400	3100	4100
EE22/30/5.8	1.79	63.9	35.7	2281.23	1300	1350			
EE23/29/6	1.81	64.9	35.8	2323.42	1200	1250	2400	3100	4100
EE25/19/6.4	1.19	48.0	40.4	1939.2	1750	1850	3400	4400	8000
EE25/20/6.5	1.17	49.4	42.2	2084.68	1856	1950	3550	4150	6000
EE25/20/6.4	1.23	49.8	40.4	2011.92	1750	1850	3400	4100	5700
EE25/25/7.2	1.12	57.8	51.8	2994.04	2000	2100	4000	4570	9280
EE25/25/10.8	0.75	57.8	77.3	4467.94	3050	3200			
EE25/25/12.7	0.63	57.8	91.4	5282.92	3500	3600			
EE25/32/6.4	1.83	73.0	40.0	2920.00	1200	1250	2500	3200	4100
EE25/32/7	1.75	73.9	42.3	3125.97	1250	1300	2600	3250	4300
EE28/21/11	0.62	51.7	82.9	4285.93	3700	3850			